



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/537,450	06/03/2005	Eric Wilhelmus Josephus Moors	US 020638	1687
38107 7590 07/28/2008 PHILIPS INTELLECTUAL PROPERTY & STANDARDS 595 MINER ROAD CLEVELAND, OH 44143			EXAMINER DAZENSKI, MARC A	
			ART UNIT 4113	PAPER NUMBER
			MAIL DATE 07/28/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/537,450

Applicant(s)

MOORS ET AL.

Examiner

MARC DAZENSKI

Art Unit

4113

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 June 2005.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☐ Claim(s) 1-3, 5-6, 8-9, 11-14, 16-18, 20-21, and 23-25 is/are rejected.
7) ☒ Claim(s) 4, 7, 10, 15, 19 and 22 is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 03 June 2005 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsman's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 6-03-2005 and 8-28-2007
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____

DETAILED ACTION

Drawings

The drawings are objected to because the unlabeled rectangular box(es) shown in the drawings should be provided with descriptive text labels. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-3, 5-6, 8-9, 11-14, 16-18, 20-21, and 23-25 are rejected under 35

U.S.C. 103(a) as being unpatentable over Ohno (US Patent 7,142,777), hereinafter referred to as Ohno, in view of Gorbатов et al (US Patent 6,792,617), hereinafter referred to as Gorbатов.

Regarding **claim 1**, Ohno discloses a recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train. In addition, Ohno discloses an apparatus for receiving digital TV broadcasting signals and recording and reproducing them, which reads on the claimed, "an apparatus for recording a selected program," as disclosed at column 3, lines 21-22; the apparatus comprising:

an operation unit tuned to a program, which reads on the claimed, "a means for selecting the selected program," as disclosed at column 4, lines 51-52;

a tuner which receives a digital TV signal in accordance with an instruction supplied via a control line, which reads on the claimed, "a means for receiving a data stream, a start data packet, and an end data packet associated with the selected program," as disclosed at column 4, lines 49-51; and,

a demultiplexer that divides only the TS packet data having the designated PID supplied from a system control unit via a control line, which reads on the claimed, "a means for detecting the start data packet associated with the selected program and the end data packet associated with the selected program," as disclosed at column 4, lines

59-61. Ohno fails to disclose, however, a means for recording the selected program, the recording being initiated in response to the detection of the start data packet associated with the selected program and terminated in response to the detection of the end data packet associated with the selected program. However, the examiner maintains that it was well known in the art to include a means for recording the selected program, the recording being initiated in response to the detection of the start data packet associated with the selected program and terminated in response to the detection of the end data packet associated with the selected program, as taught by Gorbatov.

In a similar field of endeavor, Gorbatov discloses a method and apparatus for selective recording of television programs using event notifications. In addition, Gorbatov discloses a set top box that causes the recorder to tune to the channel and start recording the program segment when an event notification is received indicating the starting of a program segment selected by a viewer on a channel, and then causing the recorder to stop recording the program segment broadcast on the channel when an even notification is received indicating the ending of the program segment, which reads on the claimed, "a means for recording the selected program, the recording being initiated in response to the detection of the start data packet associated with the selected program and terminated in response to the detection of the end data packet associated with the selected program," as disclosed at column 5, lines 17-27.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the recording and reproducing apparatus and

method generating recording location table for plurality of programs received in multiplexed data train of Ohno to specifically include a set top box that causes the recorder to tune to the channel and start recording the program segment when an event notification is received indicating the starting of a program segment selected by a viewer on a channel, and then causing the recorder to stop recording the program segment broadcast on the channel when an even notification is received indicating the ending of the program segment, as taught by Gorbатов, for the purpose of facilitating automatic recording of a TV program based on occurrence of an event rather than broadcast time.

Regarding **claim 2**, the combination discloses everything claimed as applied above (see claim 1). In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs and Program Specific Information ("PSI") which includes Program Allocation Table ("PAT") and Program Mapping Table ("PMT") that are used to identify the contents of the data and program selection, which reads on the claimed, "wherein the data stream includes one or more programs and a private stream, each program being represented by content data packets in the data stream, the private stream including the start data packet and the end data packet associated with the selected program and a start data packet and an end data packet associated with each additional program," as disclosed at column 3, lines 36-54, and exhibited in figures 2A-2D.

Regarding **claim 3**, the combination discloses everything claimed as applied above (see claim 1). Ohno, however, fails to disclose the associated start data packet

Art Unit: 4113

precedes the associated content data packets in the data stream for each program and the associated end data packet follows the associated content data packets in the data stream for each program. However, the examiner maintains that it was well known in the art to include the associated start data packet precedes the associated content data packets in the data stream for each program and the associated end data packet follows the associated content data packets in the data stream for each program, as taught by Gorbатов.

In a similar field of endeavor, Gorbатов discloses a method and apparatus for selective recording of television programs using event notifications. In addition, Gorbатов discloses a set top box that causes the recorder to tune to the channel and start recording the program segment when an event notification is received indicating the starting of a program segment selected by a viewer on a channel, and then causing the recorder to stop recording the program segment broadcast on the channel when an even notification is received indicating the ending of the program segment, which reads on the claimed, "wherein the associated start data packet precedes the associated content data packets in the data stream for each program and the associated end data packet follows the associated content data packets in the data stream for each program," as disclosed at column 5, lines 17-27 and 47-49.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train of Ohno to include a set top box that causes the recorder to tune to the channel

and start recording the program segment when an event notification is received indicating the starting of a program segment selected by a viewer on a channel, and then causing the recorder to stop recording the program segment broadcast on the channel when an even notification is received indicating the ending of the program segment, as taught by Gorbatov, for the purpose of facilitating automatic recording of a TV program based on occurrence of an event rather than broadcast time.

Regarding **claim 5**, the limitations of the claim are rejected in view of the explanation set forth in claim 2 above.

Regarding **claim 6**, the limitations of the claim are rejected in view of the explanation set forth in claim 3 above.

Regarding **claim 8**, the combination discloses everything claimed as applied above (see claim 1). In addition, Ohno discloses PSI that includes PAT, PMT, and Packet Identification ("PID") by which the contents of data can be identified, which reads on the claimed, "wherein the start data packet and the end data packet include information that identifies the selected program," as disclosed at column 3, lines 51-57.

Regarding **claim 9**, the combination discloses everything claimed as applied above (see claim 1). In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs and Program Specific Information ("PSI") which includes Program Allocation Table ("PAT") and Program Mapping Table ("PMT") that are used to identify the contents of the data and program selection, which reads on the claimed, "wherein the data stream includes multiple programs, each

program being associated with a sub-channel, the start data packet and the end data packet including information that identifies the selected program and the sub-channel associated with the selected program," as disclosed at column 3, lines 36-60, and exhibited in figures 2A and 3.

Regarding **claim 11**, the combination discloses everything claimed as applied above (see claim 1). In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs, which reads on the claimed, "wherein the data stream is a digital data stream and includes one or more programs, each program in the data stream being represented by digital content data packets," as disclosed at column 3, lines 25-41, and an apparatus for receiving digital TV broadcasting signals and recording and reproducing them, which reads on the claimed, "and the means for recording the selected program including a digital recorder to record the digital content data packets," as disclosed at column 3, lines 21-22.

Regarding **claim 12**, Ohno discloses a recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train. In addition, Ohno discloses the operation of recording received TS packet data, which reads on the claimed, "a method for recording a selected programming with a video recorder," as disclosed at column 5, line 25; the method comprising:

receiving a digital TV signal in accordance with an instruction supplied via a control line to output TS data including the program tuned by an operation unit, which

reads on the claimed "a.) receiving a data stream associated with the selected programming," as disclosed at column 4, lines 49-51. Ohno fails to disclose, however, steps b) through f). However, the examiner maintains that it was well known in the art to include steps b) through f), as taught by Gorbatov.

In a similar field of endeavor, Gorbatov discloses a method and apparatus for selective recording of television programs using event notifications. In addition, Gorbatov discloses a set top box that causes the recorder to tune to the channel and start recording the program segment when an event notification is received indicating the starting of a program segment selected by a viewer on a channel, and then causing the recorder to stop recording the program segment broadcast on the channel when an even notification is received indicating the ending of the program segment, which reads on the claimed, "b) receiving and detecting a start data packet associated with the selected programming; c) starting the recording with the. video recorder in response to the detection of the start data packet; d) receiving and recording the selected programming; e) receiving and detecting an end data packet associated with the selected programming; and f) stopping the recording of the selected programming in response to the detecting of the end data packet," as disclosed at column 5, lines 17-26.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train of Ohno to include steps b) through f), as taught by Gorbatov, for the purpose of

facilitating automatic recording of a TV program based on occurrence of an event rather than broadcast time.

Regarding **claim 13**, the combination discloses everything claimed as applied above (see claim 12). In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs and Program Specific Information ("PSI") which includes Program Allocation Table ("PAT") and Program Mapping Table ("PMT") that are used to identify the contents of the data and program selection, which reads on the claimed, "combining one or more programs and a private stream to produce the data stream, each program being represented by content data packets in the data stream, the private stream including a start data packet and an end data packet associated with each program," as disclosed at column 3, lines 36-54, and exhibited in figures 2A-2D. Ohno, however, fails to disclose the step of providing the data stream to a consumer environment having the video recorder. However, the examiner maintains that it was well known in the art to include the step of providing the data stream to a consumer environment having the video recorder, as taught by Gorbatov.

In a similar field of endeavor, Gorbatov discloses a method and apparatus for selective recording of television programs using event notifications. In addition, Gorbatov discloses broadcast head-end (18) broadcasts the DTV signal to the set top box (12) over the broadcast network (14), which reads on the claimed, "providing the

data stream to a consumer environment having the video recorder," as disclosed at column 3, lines 40-41.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train of Ohno to include the step of broadcast head-end broadcasts the DTV signal to the set top box over the broadcast network, as taught by Gorbатов, for the purpose of delivering enhanced programming over a variety of transport mechanisms to compliant receivers.

Regarding **claim 14**, the combination discloses everything claimed as applied above (see claim 13). Ohno, however, fails to disclose the associated start data packet precedes the associated content data packets in the data stream for each program and the associated end data packet follows the associated content data packets in the data stream for each program. However, the examiner maintains that it was well known in the art to include the associated start data packet precedes the associated content data packets in the data stream for each program and the associated end data packet follows the associated content data packets in the data stream for each program, as taught by Gorbатов.

In a similar field of endeavor, Gorbатов discloses a method and apparatus for selective recording of television programs using event notifications. In addition, Gorbатов discloses a set top box that causes the recorder to tune to the channel and start recording the program segment when an event notification is received indicating

the starting of a program segment selected by a viewer on a channel, and then causing the recorder to stop recording the program segment broadcast on the channel when an even notification is received indicating the ending of the program segment, which reads on the claimed, "wherein the associated start data packet precedes the associated content data packets in the data stream for each program and the associated end data packet follows the associated content data packets in the data stream for each program," as disclosed at column 5, lines 17-27 and 47-49.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train of Ohno to include a set top box that causes the recorder to tune to the channel and start recording the program segment when an event notification is received indicating the starting of a program segment selected by a viewer on a channel, and then causing the recorder to stop recording the program segment broadcast on the channel when an even notification is received indicating the ending of the program segment, as taught by Gorbatov, for the purpose of facilitating automatic recording of a TV program based on occurrence of an event rather than broadcast time.

Regarding **claim 16**, the combination discloses everything claimed as applied above (see claim 12). In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs, which reads on the claimed, "wherein the data stream is a digital data stream and includes one or more programs,

including the selected programming, each program in the data stream being represented by digital content data packets," as disclosed at column 3, lines 25-41.

Regarding **claim 17**, the combination discloses everything claimed as applied above (see claim 12). In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs and Program Specific Information ("PSI") which includes Program Allocation Table ("PAT") and Program Mapping Table ("PMT") that are used to identify the contents of the data and program selection, which reads on the claimed, "combining one or more programs to produce the data stream, each program being represented by content data packets in the data stream; combining a start data packet and an end data packet associated with each program to produce a private stream," as disclosed at column 3, lines 36-54, and exhibited in figures 2A-2D. Ohno, however, fails to disclose the step of providing the data stream and the private stream to a consumer environment having the video recorder. However, the examiner maintains that it was well known in the art to include the step of providing the data stream and the private stream to a consumer environment having the video recorder, as taught by Gorbатов.

In a similar field of endeavor, Gorbатов discloses a method and apparatus for selective recording of television programs using event notifications. In addition, Gorbатов discloses broadcast head-end (18) broadcasts the DTV signal to the set top box (12) over the broadcast network (14), which reads on the claimed, "providing the

data stream and the private stream to a consumer environment having the video recorder," as disclosed at column 3, lines 40-41.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train of Ohno to include the step of broadcast head-end broadcasts the DTV signal to the set top box over the broadcast network, as taught by Gorbатов, for the purpose of delivering enhanced programming over a variety of transport mechanisms to compliant receivers.

Regarding **claim 18**, the limitations of the claim are rejected in view of the explanation set forth in claim 14 above.

Regarding **claim 20**, the combination discloses everything claimed as applied above (see claim 12). In addition, Ohno discloses PSI that includes PAT, PMT, and Packet Identification ("PID") by which the contents of data can be identified, which reads on the claimed, "wherein the start data packet and the end data packet include information that identifies the selected program," as disclosed at column 3, lines 51-57.

Regarding **claim 21**, the combination discloses everything claimed as applied above (see claim 12). In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs and Program Specific Information ("PSI") which includes Program Allocation Table ("PAT") and Program Mapping Table ("PMT") that are used to identify the contents of the data and program selection, which

reads on the claimed, "wherein the data stream includes multiple programs, each program being associated with a sub-channel, the start data packet and the end data packet including information that identifies the selected program and the sub-channel associated with the selected program," as disclosed at column 3, lines 36-60, and exhibited in figures 2A and 3.

Regarding **claim 23**, Ohno discloses a recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train. In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs and Program Specific Information ("PSI") which includes Program Allocation Table ("PAT") and Program Mapping Table ("PMT") that are used to identify the contents of the data and program selection, which reads on the claimed, "a) combining one or more programs to produce a data stream, the one or more programs including the selected programming, each program being represented by content data packets in the data stream; b) combining a start data packet and an end data packet associated with each program to produce a private stream," as disclosed at column 3, lines 36-54, and exhibited in figures 2A-2D. Ohno, however, fails to disclose the step of providing the data stream and the private stream to a consumer environment having the video recorder. However, the examiner maintains that it was well known in the art to include the step of providing the data stream and the private stream to a consumer environment having the video recorder, as taught by Gorbатов.

In a similar field of endeavor, Gorbatov discloses a method and apparatus for selective recording of television programs using event notifications. In addition, Gorbatov discloses broadcast head-end (18) broadcasts the DTV signal to the set top box (12) over the broadcast network (14), which reads on the claimed, "c) providing the data stream and the private stream to a consumer environment having the video recorder," as disclosed at column 3, lines 40-41.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train of Ohno to include the step of broadcast head-end broadcasts the DTV signal to the set top box over the broadcast network, as taught by Gorbatov, for the purpose of delivering enhanced programming over a variety of transport mechanisms to compliant receivers.

Regarding **claim 24**, the combination discloses everything claimed as applied above (see claim 23). In addition, Ohno discloses receiving a digital TV signal in accordance with an instruction supplied via a control line to output TS data including the program tuned by an operation unit, which reads on the claimed "receiving the data stream associated with the selected programming," as disclosed at column 4, lines 49-51. Ohno fails to disclose, however, receiving and detecting the start data packet associated with the selected programming; starting the recording with the video recorder in response to the detection of the start data packet; receiving and recording the selected Programming; receiving and detecting an end data packet associated with

the selected programming; and stopping the recording of the selected programming in response to the detecting of the end data packet. However, the examiner maintains that it was well known in the art to include these steps, as taught by Gorbатов.

In a similar field of endeavor, Gorbатов discloses a method and apparatus for selective recording of television programs using event notifications. In addition, Gorbатов discloses a set top box that causes the recorder to tune to the channel and start recording the program segment when an event notification is received indicating the starting of a program segment selected by a viewer on a channel, and then causing the recorder to stop recording the program segment broadcast on the channel when an even notification is received indicating the ending of the program segment, which reads on the claimed, "receiving and detecting the start data packet associated with the selected programming; starting the recording with the video recorder in response to the detection of the start data packet; receiving and recording the selected Programming; receiving and detecting an end data packet associated with the selected programming; and stopping the recording of the selected programming in response to the detecting of the end data packet," as disclosed at column 5, lines 17-26.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the recording and reproducing apparatus and method generating recording location table for plurality of programs received in multiplexed data train of Ohno to include steps b) through f), as taught by Gorbатов, for the purpose of facilitating automatic recording of a TV program based on occurrence of an event rather than broadcast time.

Regarding **claim 25**, the combination discloses everything claimed as applied above (see claim 23). In addition, Ohno discloses digital TV signals of video data, audio data, and other data that are transmitted and received in the form of a transport stream, the transport stream containing multiple programs, which reads on the claimed, "wherein the data stream is a digital data stream and includes one or more programs, including the selected programming, each program in the data stream being represented by digital content data packets," as disclosed at column 3, lines 25-41.

Allowable Subject Matter

Claims 4, 7, 10, 15, 19, and 22 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Kim et al (US Patent 6,925,247) discloses a method and apparatus for recording digital data streams.

Hirai et al (US Patent 6,754,437) discloses a receiver, recorder, and player.

Kondo et al (US Patent 6,618,396) discloses a data transmitting device, data receiving device, and data recording device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARC DAZENSKI whose telephone number is (571)270-5577. The examiner can normally be reached on Monday - Friday, 7:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeff Harold can be reached on (571)272-7519. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/MARC DAZENSKI/
Examiner, Art Unit 4113
/Jefferey F Harold/
Supervisory Patent Examiner, Art Unit 4113